

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for creating a database (~~5~~) which makes it possible in particular to select at least one catalyst suitable for a reaction, this method comprising the following stages:
  - a) preparing a plurality of different reaction media comprising the same reactivity probe and each comprising at least one catalyst,
  - b) analyzing, by an analytical method, each reaction medium after reaction,
  - c) assigning a result of the analysis according to stage b) to the reactivity probe in the database, this result characterizing the different reaction products obtained from this reactivity probe,  
the database being a relational database comprising a first entity (~~5a~~) in which is recorded information relating to the reaction units listed in the base, a second entity (~~5b~~) comprising information relating to the state of the bonds of at least one reaction unit listed in the first entity, a third entity (~~5c~~) in which is recorded information associated with the different reaction media and at least one fourth entity (~~5d~~) in which is recorded information related to the analytical results of the reaction media on conclusion of a reaction.
2. (Currently Amended) A method for creating a database (~~5~~) which makes it possible in particular to select at least one catalyst suitable for a reaction, this method comprising the following stages:

- a) preparing a plurality of different reaction media comprising the same reactivity probe and each comprising at least one catalyst,
  - b) analyzing, by an analytical method, each reaction medium after reaction,
  - c) assigning a result of the analysis according to stage b) to the reactivity probe in the database, this result characterizing the different reaction products obtained from this reactivity probe,
- reaction units being listed individually in the database, the units being present on the reactivity probes, and
- for at least a portion of the reaction units listed, information is associated with each unit listed, in particular on the states of the bonds, targeted at describing the degree of reactivity of the bonds which are associated with it.

3. (Currently Amended) A method for creating a database ~~(S)~~ which makes it possible in particular to select at least one catalyst suitable for a reaction, this method comprising the following stages:

- a) preparing a plurality of different reaction media comprising the same reactivity probe and each comprising at least one catalyst,
- b) analyzing, by an analytical method, each reaction medium after reaction, the result of the analysis characterizing different reaction products obtained from this reactivity probe,

c) assigning a result of the analysis according to stage b) to the reactivity probe in the database, reaction units being listed individually in the database, the units being present on reactivity probes, the database comprising information which informs about the influence of the structural environment of a listed reaction unit on its reactivity.

4. (Currently Amended) The method as claimed in ~~one of the preceding claims~~ 1, ~~characterized in that wherein~~ the plurality of different reaction media comprises at least two reaction media comprising different catalysts.

5. (Currently Amended) The method as claimed in ~~any one of the preceding claims~~ 1, ~~characterized in that wherein~~ the analytical method is a liquid or gas chromatography method.

6. (Currently Amended) The method as claimed in ~~any one of the preceding claims~~ 1, ~~characterized in that wherein~~ stages a) to c) are repeated for a plurality of different reactivity probes and/or a plurality of different reaction media.

7. (Currently Amended) The method as claimed in ~~any one of the preceding claims~~ 1, ~~characterized in that wherein~~, for one reactivity probe at least, a file is generated collating the group of the results covering all the conversions which have been carried out on said probe.

8. (Currently Amended) The method as claimed in ~~any one of the preceding claims~~ 1, ~~characterized in that wherein~~ the reactivity probe comprises at least one reaction unit, ~~preferably at least two reaction units~~.

9. (Currently Amended) The method as claimed in ~~any one of the preceding claims 1, characterized in that~~ wherein the reaction media are chosen in order to carry out at least one of the following reactions: reactions for the formation or breaking of bonds, in particular C-C; -CO; -CN; C=N; C=C bonds.

10. (Currently Amended) A method for selecting at least one catalyst of use in the chemical conversion of at least one reaction unit, ~~characterized in that it comprises at least the stages consisting in~~ comprising:

- x) acquiring data relating to said conversion and, if appropriate, to the structural environment of the reaction unit to be converted,
- y) identifying, in a database informing about the reactivity of a group of catalysts with regard to reaction units listed in the database and present on reactivity probes, at least one listed reaction unit related to the unit to be converted,
- z) selecting, in the database, according to the listed reaction unit thus identified, on the one hand, and the conversion to be carried out, on the other hand, at least one catalyst having the reactivity required for the conversion.

11. (Currently Amended) The method as claimed in ~~the preceding claim 10, characterized in that~~ wherein the said database was created according to a method as ~~disclosed in any one of claims 1 to 9 comprising~~.

- a) preparing a plurality of different reaction media comprising the same reactivity probe and each comprising at least one catalyst,
- b) analyzing, by an analytical method, each reaction medium after reaction,
- c) assigning a result of the analysis according to stage b) to the reactivity probe in the database, this result characterizing the different reaction products obtained from this reactivity probe,
- the database being a relational database comprising a first entity in which is recorded information relating to the reaction units listed in the base, a second entity comprising information relating to the state of the bonds of at least one reaction unit listed in the first entity, a third entity in which is recorded information associated with the different reaction media and at least one fourth entity in which is recorded information related to the analytical results of the reaction media on conclusion of a reaction.

12. (Currently Amended) The method as claimed in ~~either one of claims 10 and 11, characterized in that~~ wherein the conversion takes place during a chemical reaction chosen from halogenation, reduction, hydrogenation, oxidation, hydrolysis, dehydration or esterification reactions, acidic or basic catalytic reactions, metallocatalyzed multicomponent reactions, trimerization reactions, reactions for the formation of heterocycles, pericyclic reactions or thermal and/or photochemical reactions.

13. (Currently Amended) The method as claimed in ~~any one of claims 10 to 12, characterized in that~~ wherein the conversion is chosen from: reduction of imine to give amine, cleavage of a benzyl C-N or C-O bond, reduction of a halide, reduction of a nitro

functional group to give amine or of a nitrile to give amine, reduction of amide, reduction of an alkyne unit, reduction of a ketone to give alcohol, reduction of a ketone to give alkane and cleavage of an ether unit.

14. (Currently Amended) The method as claimed in ~~any one of claims 10 to 13,~~ ~~characterized in that~~ wherein the acquisition of the data in stage a) comprises the formulation of a request mentioning the reaction unit concerned and the nature of the conversion to which it is desired to subject it.

15. (Currently Amended) The method as claimed in ~~any one of claims 10 to 14,~~ ~~characterized in that~~ wherein the conversion is formulated by indicating the variation in the state of the bonds of the functional groups to be converted or to be retained in each reaction unit resulting from the conversion or the difference in the state of the bonds in the reaction unit under consideration between the states before and after conversion.

16. (Currently Amended) The method as claimed in ~~any one of claims 10 to 15,~~ ~~characterized in that~~ wherein the acquisition of data comprises the formulation of a request relating to the conversion and/or the nonconversion of at least two different reaction units.


17. (Currently Amended) The method as claimed in ~~any one of claims 10 to 16,~~ ~~characterized in that~~ wherein, in the case of a first reaction unit to be converted and of a second reaction unit not to be converted, this first reaction unit and this second reaction unit being present on a starting compound, the request is targeted at selecting a catalyst capable of carrying out the conversion of the first unit with a satisfactory yield while leaving the second intact or at the very least converting it to a sufficiently insignificant extent.


18. (Currently Amended) The method as claimed in ~~any one of claims 10 to 17,~~ characterized in that wherein the acquisition of data in stage a) is carried out by formulating a request for the conversion of at least one starting compound, the method comprising the analysis of the starting and final compounds for the purpose of identifying the reaction unit or units which react and that or those which do not react.

19. (Currently Amended) The method as claimed in ~~any one of claims 10 to 18,~~ characterized in that it comprises comprising:

- the breakdown into different substructures of a starting compound involved in a reaction,
- the identification of the reaction unit or units to be converted and, if appropriate,
- the identification of the reaction unit or units which have to be retained.

20. (Currently Amended) The method as claimed in ~~any one of the preceding claims,~~ claim 1, characterized in that wherein the reaction unit is chosen from:





with X representing a halogen atom.

21. (Currently Amended) The method as claimed in ~~any one of the preceding claims 1, characterized in that~~ wherein the database comprises, for each catalyst listed, information relating to the reaction medium in which it was tested for its catalytic activity.

22. (Currently Amended) The method as claimed in ~~any one of the preceding claims 1 except claim 2, characterized in that~~ wherein, for at least a portion of the reaction units listed in the database, information is associated with each unit listed targeted as describing the state of the bonds which are associated with it.

23. (Currently Amended) The method as claimed in ~~either one of claims 2 and 22, characterized in that~~ wherein the state of the bonds is an integer ranging from 0 to 3.

24. (Currently Amended) The method as claimed in ~~any one of the preceding claims 1 except claim 4, characterized in that~~ wherein the database comprises information which informs about the influence of the structural environment of a listed reaction unit.



25. (Currently Amended) The method as claimed in ~~any one of the preceding~~ claims 1, ~~characterized in that~~ wherein the database comprises data which inform about the activity of a portion at least of the catalysts listed according to different reaction conditions, in particular the temperature of the reaction medium, the acidity, the pressure, the presence of solvents or the analytical method.

26. (Original) A method for providing at least one catalyst which can be used to convert at least one reaction unit of at least one compound according to a given chemical reaction, characterized in that it comprises, in addition to stages x), y) and z) defined in claim 10, at least one stage of providing the catalyst or catalysts thus selected, and in particular the manufacture of said catalyst.

27. (Currently Amended) A method for creating a database ~~(S)~~ which makes it possible in particular to select at least one catalyst suitable for a reaction, this method comprising the following stages:

- a) preparing a plurality of different reaction media comprising the same reactivity probe and each comprising at least one catalyst,
- b) analyzing, by an analytical method, each reaction medium after reaction,
- c) assigning a result of the analysis according to stage b) to the reactivity probe in the database, this result characterizing the various reaction products obtained from this reactivity probe.